



# **GOLDER RANCH FIRE DISTRICT**

## **Firefighter I and II Practical Skill Sheets**

### **Boots-On Drill**

#### **Standard:**

NFPA 1001: 4.1.2 (2019 Edition)

NFPA 1001: 4.3.1 (2019 Edition)

NFPA 1001: 4.3.2 (2019 Edition)

NFPA 1710 Annex D – Response Objectives (2019 Edition)

#### **Task/Performance Outcome:**

Traditional Suppression Apparatus Configuration:

- Upon notification, the candidate shall be able to safely respond to the apparatus and don the necessary PPE, SCBA components, and safety devices within 80 seconds. At the 80 second mark, the candidate's door should be closed, and the vehicle should be ready to respond within the 80 second timeline established by NFPA 1710.

Cancer Reduction Cab (CRC) Suppression Apparatus Configuration:

- Upon notification, the candidate shall be able to safely respond to the apparatus and don the necessary PPE and safety devices within 80 seconds. At the 80 second mark, the candidate's door should be closed, and the vehicle should be ready to respond within the 80 second timeline established by NFPA 1710.

#### **Required Personal Protective Equipment (PPE):**

Class C Uniform

#### **Required Equipment:**

- Full turnout ensemble
- Full SCBA ensemble
- Radio
- Flashlight

#### **Critical Fail Criteria:**

- Failure to be seated and belted upon arrival.
- Failure to wear the required PPE.
- Failure to physically address their accountability on the passport of their assigned apparatus.
- Failure to enter the apparatus safely and with three points of contact.
- Glaring, gross errors, as documented by the evaluator.
- An apparent lack of efficiency and comfort with the activity, as documented by the evaluator.
- Less than 80% of available points scored.

#### **Evolution Details:**

The candidate will be provided an apparatus to place all their PPE, SCBA ensemble, and equipment on. The apparatus will be equipped with all the necessary safety features to complete this evolution. Upon notification, the candidate must safely respond to the apparatus, don the necessary PPE for their suppression apparatus configuration, their safety devices, and have the door to the apparatus closed. When the candidate is done, they must clap their hands for the time to stop.



# GOLDER RANCH FIRE DISTRICT

## Firefighter I and II Practical Skill Sheets

### Boots-On Drill

Actions	Points Available	Points Earned
<b>Time starts upon instructor prompt</b>		
Candidate safely responds to the apparatus	1	
Turnout pants and suspenders are appropriately donned	1	
Nomex hood is appropriately donned	1	
Turnout coat is appropriately donned and fastened correctly	1	
Candidate enters the apparatus safely using three points of contact	1	
SCBA shoulder straps are properly donned (Not Applicable for CRC)	1	
SCBA waist straps are properly donned (Not Applicable for CRC)	1	
Headset is properly donned	1	
Seat belt is properly donned	1	
Radio is placed into the front turnout jacket pocket	1	
Flashlight is attached to the turnouts or SCBA harness	1	
SCBA mask is either attached to the SCBA harness, turnouts, candidate in some fashion, or is inside a turnout pant pocket	1	
Fire gloves are attached to the turnouts, in a turnout pocket, or are appropriately donned	1	
For the traditional suppression apparatus configuration, the candidate must have their helmet within reach. For the CRC suppression apparatus configuration, the candidate must have their helmet inside the SCBA compartment.	1	
Apparatus door is closed	1	
<b>Time stops upon candidate clapping their hands.</b>	3	
Traditional Suppression Apparatus Configuration Total Points (15/18 to pass)	<b>18</b>	
CRC Suppression Apparatus Configuration Total Points (13/16 to pass)	<b>16</b>	

0:70 or less = 3 points

0:71 - 0:75 = 2 points

0:76 - 0:80 or less = 1 point

0:81 or more = Fail

Candidate: \_\_\_\_\_ Evaluator: \_\_\_\_\_ Total: \_\_\_\_\_/18  
Total: \_\_\_\_\_/16

Circle one:

Pass/Fail on points/Fail on critical criteria

Comments \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_